



Ascoval Saint-Saulve

# Product Offer

Saint-Saulve, January 2020



# Product Portfolio – Steel Plant

---

## In a nutshell

- As of today Ascoval Saint Saulve is active on the market.
- We can supply continuous cast rounds (**CCC**) in various diameters from 180 mm to 325 mm,
- In carbon and alloy steel (up to 13% Cr).
- Ascoval also produces forged products from 110 mm to 250 mm.
- Development in blooms and square billets in 2020
- Please visit our web site for more details. [www.ascoval.fr](http://www.ascoval.fr)

## Portfolio

- More than 400 steel grades
- Close to 300 produced the last 18 months
- Steel grades cover following industries: mechanical engineering, construction, oil and gas, boilers, automotive, bearing

## Product Portfolio – Steel Plant

Element minimum (%) except * maximum	C	Mn	Si	S	P*	Ni	Cr	Mo	V
<b>Oil and gas application and accessories : Bars &amp; tubes</b>	API5CT carbon steels and chromium steels : L80, P110, T95, 13%Cr, 4140, 4130, Line pipes API5L X52...								
	0.005% to 0.4%	0.3% to 1.4%	0.1% to 2%		0.01%	Up to 6%	0.2% to 13%	0.2% to 2.3%	
<b>Electrical power plants/ Boilers</b>	TÜV products, ASTM grades B, C, T11, T12, T22, T24, T91, T92, S355...								
	0.05% to 0.12%	0.3% to 0.6%	0.1% to 2%		0.01%	0.1% to 1.1%	0.8% to 9%	0.05 % to 1%	0.2%
<b>Bearing steel</b>	100Cr6								
	0.93%	0.3% to 0.7%	0.2%		0.01%		1.3%		
<b>Industry: Automotive, mechanical, construction</b>	Mechanical grades , Resulfurized grades, High yield grades : S355, C45, C55, 50CrMo4, 42CrMo4, 34CrNiMo6, 20Mn4-5-6, 18MnCr5...								
	0.07% to 0.7%	0.3% to 1.6%	Up to 1.3%	Up to 0.2%	0.01%	Up to 4%	Up to 2.5%	Up to 0.85%	Up to 0.24%

Micro alloys possible depending on customer needs : B, Ti, V, Nb, Zr...

# Product Portfolio – Steel Plant

## Product shape and quality

RCC blooms: Ø180, 200, 220, 250, 260, 270, 280, 310 and 325 mm. Length : from 4 to 12 meters.

### Chemical analysis :

In-house testing with optical emission spectrometer equipments except C, S and O,N with combustion method.

H2 measurement in tundish, 2ppm max from the 2<sup>nd</sup> half of the first of sequence.

Micro cleanliness: based on ISO4967 meth A ; depending on customer needs and as low as (except bearing steels):

Sulfur		Alumina		Silicate		Oxides	
Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick
=f(S content)		1	0.5	0	0	1	0.5

Oxygen content: up to 15 ppm maximum

## Product Portfolio – Forge

---

### Product shape and quality

	Minimum diameter (mm)	Maximum diameter (mm)	Minimum length (m)	Maximum length (m)
Input bar	180	270	2,7	6,9
Out bar	140	220	6	12,8

### Current use :

- Reduction  $\varnothing 220 \rightarrow \varnothing 180$  or  $\varnothing 140$
- Reduction  $\varnothing 250$  or  $\varnothing 270 \rightarrow \varnothing 180$
- Reduction ratio up to 3,2

### Capability (Need some studies for implementation) :

- From  $\varnothing 110$  to  $\varnothing 250$  in final diameter
- Possibility of making tubes of form



## Product Portfolio – Development in 2020

---

### Product shape

New equipment at the casting machine will be installed in August 2020 to enlarge the product offer :

Blooms : 255 mm \* 330 mm  
300 mm \* 365 mm

Billets : 155 mm \* 155 mm



# Contacts

---

**David Potier – Sales and Marketing Director**

[david.potier@ascoval.fr](mailto:david.potier@ascoval.fr)

+33 6 29 84 36 05

**Frédéric Ford – Sales Manager**

[frederic.ford@ascoval.fr](mailto:frederic.ford@ascoval.fr)

+33 6 80 37 66 95

**Cédric Orban – CEO**

[cedric.orban@ascoval.fr](mailto:cedric.orban@ascoval.fr)

+ 33 6 89 15 35 82

Also visit our website for more details

[www.ascoval.fr](http://www.ascoval.fr)